扫一扫
了解更多资讯

中国绿色建材三星认证
China Green Building Materials Samsung Certification

JSC 久胜成 铝板
ISC ALUMINIUM PLATE



浙江久胜成铝业有限公司
Zhejiang jiushengcheng aluminum co., ltd

网址：www.jiushengcheng.com
邮箱：yewu@jiushengcheng.com
电话：0576-89028111
地址：台州市台州湾新区台州湾大道666号

专注成为
建筑外墙优质产品提供商

FOCUS ON BECOMING
HIGH-QUALITY PRODUCT PROVIDER OF BUILDING EXTERIOR WALL

了解最新动态 请扫二维码
Please scan the QR code for the latest news

极致之美
源于细节

THE ULTIMATE BEAUTY FROM DETAILS



目录
Contents

企业介绍 2--8
ENTERPRISE PROFILE

证书及相关荣誉 9--10
CERTIFICATES AND RELATED HONORS

企业优势 11--12
ENTERPRISE ADVANTAGE

产品及特点 13--20
PRODUCTS AND CHARACTERISTICS

工程案例 21--24
ENGINEERING CASE

合作伙伴 25
COOPERATIVE PARTNER

社会价值 26
SOCIAL VALUE



ABOUT US

50000万元 Total investment 总投资额

102亩 Floor space 占地面积

84599m² Total floor area 总建筑面积

浙江久胜成铝业有限公司成立于2018年，位于浙江省台州市台州湾新区台州湾大道666号。 公司注册资本7700万元，占地102亩，总建筑面积84599平方米，总投资为5亿元。配有8000平方米全玻璃幕墙，集展示、科研、办公为一体的现代化科研办公大楼及9500平米能容纳500张床位的全新带空调供热水星级员工宿舍，有1000平方米餐厅提供三餐安全美食。公司专注于成为建筑系统门窗、建筑玻璃、建筑铝单板的一体化的建筑外墙综合服务商。

目前，公司拥有多条德国、意大利进口设备的国内领先系统门窗智能生产线，行业领先的全自动玻璃生产线和国内领先铝单板生产线。年生产能力：建筑系统门窗100万平方米、建筑玻璃100万平方米、 建筑铝单板100万平方米。

公司引进德国旭格系统设计、系统管理、系统生产工艺及新材料应用，使公司产品达到国际标准。同时，公司为德国旭格系统门窗、贝克洛系统门窗、兴发系统门窗指定生产基地，以及信义玻璃台州生产基地。

公司通过整合国外国内知名品牌优势资源，让产品配置更高、价格更实惠，惠及更多客户。



JIUSHENGCHENG ALUMINIUM
久胜成铝业

高新技术企业
浙江省科技型中小企业
信义玻璃台州生产基地
ISO 三体系认证企业
中国绿色建材三星认证企业
浙江省工商联执委

new high-tech enterprise
Small and medium-sized science and technology enterprises in Zhejiang Province
Xinyi glass Taizhou production base
ISO three-system certification enterprise
China Green Building Materials Samsung Certified Enterprise
Executive Committee of Zhejiang Federation of Industry and Commerce

先进的研发内核，开启工业4.0时代的变革

OPEN THE REVOLUTION IN THE ERA OF INDUSTRY 4.0

21

公司专利21项
21 company patents

12

智能门窗生产线12条
12 doors and windows production lines

2

自动喷涂生产线2条
2 spraying production lines

2+6

工业4.0玻璃生产线2条+合片6条
2 industrial 4.0 glass production lines+6 laminated sheets

我们的团队 OUR TEAM

核心团队均为专业从事铝单板生产行业20年以上的专家型人才，具有丰富的经验、开发能力及管理能力。

The core teams are all experts who have been engaged in the aluminum veneer production industry for more than 20 years. Talent, with rich experience, development ability and management ability.






证书及相关荣誉
CERTIFICATES AND RELATED HONORS


多年以来，久胜成始终视产品质量和客户服务为企业的核心竞争力，坚持品质第一、客户至上的品牌化经营之路。凭借工业4.0智能生产,通过了万泰ISO9001，ISO45001,ISO14001三体系认证，获得了中国绿色建材产品认证、高新技术企业认证，通过优质、高效的服务，开拓进取，铸就时代荣耀！

Over the years, Jiushengcheng has always regarded product quality and customers.Experience is the lifeline of the enterprise, insisting on quality first and customer first.Brand management in the world. With the intelligent production of industry 4.0,Passed Wan Tai ISO9001, ISO45001, ISO14001.


System certification, obtained the China green building materials product certification, high New technology enterprise certification, through high quality and efficient service, open Make progress and create the glory of the times!




高新技术企业




浙江科技型中小企业












ISO9001 质量管理体系认证





ISO14001 环境管理体系认证





ISO45001 职业健康安全管理体系认证

规模优势 SCALE ADVANTAGE

拥有两条喷涂生产线，年产100万平方米铝板

There are sixteen doors and windows production lines, which can reach an annual output of 1 million square meters of doors and windows for building systems.

技术优势 TEAM ADVANTAGE

拥有先进的技术，并不断进行技术创新和研发，使产品质量更好、性能更稳定、使用寿命更长、更符合市场需求。

In terms of technology, we have advanced technology, and constantly carry out technological innovation and research and development, so as to make the products have better quality, more stable performance and use. Longer service life, more in line with market demand.




氟碳喷涂铝单板

氟碳喷涂铝板是一种高性能的铝板材料，它采用了氟碳涂料进行表面处理。氟碳涂料以其优异的耐候性、耐腐蚀性、耐化学品性和高装饰性等特点，能够显著提高铝板的耐久性和使用寿命。氟碳涂料的颜色均匀一致，质量优秀的氟碳涂层具有金属光泽，颜色鲜明，立体感明显。

Fluorocarbon sprayed aluminum plate is a kind of high performance aluminum plate material, which uses fluorocarbon coating for surface treatment.
Fluorocarbon coatings have excellent weatherability, corrosion resistance, chemical resistance and high decoration.
And so on, which can significantly improve the durability and service life of aluminum plates. The color of fluorocarbon coating is uniform, and the fluorocarbon coating with excellent quality has metallic luster, bright color and obvious three-dimensional effect.



检查项目 INSPECTION ITEM		标准要求 BASIC STANDARD	结果 RESULT
外观质量		板材边部应切齐，无毛刺、裂边。板材不允许有开焊等。外观应整洁，图案清晰，色泽基本一致，无明显划伤。装饰面不得有明显压痕，印痕和凹凸等残迹。无明显色差。涂层应无流痕、裂纹、气泡、夹杂物或其他表面缺陷	板材边部切齐，无毛刺、裂边。板材无开焊等。外观整洁，色泽基本一致，无明显划伤。装饰面无明显压痕、印痕装饰面无明显压痕、印痕和凹凸等残迹。无明显色差。涂层无流痕、裂纹、气泡、夹杂物和其他表面缺陷
平均膜厚		⩾40μm	48μm
最小局部膜厚		⩾34μm	40μm
光泽度<30		±5	光泽度范围 28.9~30.0 平均值 29.4
30⩽光泽度<70		±7	
70⩽光泽度		±10	
附着力	干式	划格法0级 Class0	划格法0级 Class0
	湿式	划格法0级 Class0	划格法0级 Class0
	沸水	划格法0级 Class0	划格法0级 Class0
铅笔硬度		⩾1H	2H(中华牌铅笔)
耐盐酸（5%HCl（V/V），24h）		无变化	无变化
耐硝酸		无气泡等变化，△⩽5.0	无气泡等变化，△=0.78
耐砂浆性		无变化	无变化
耐溶剂性		无漏底	无漏底
耐磨性		⩾5L/μm	7.4L/μm
耐冲击性		正反面铝材应无裂纹 涂层应无脱落 涂层应无开裂	正反面铝材无裂纹 涂层无脱落和涂层无开裂







优势特点

氟碳喷涂铝板的主要优势在于其优异的耐候性、耐腐蚀性、耐化学品性，以及高装饰性。它能够在恶劣的气候条件下保持颜色和光泽，不受紫外线、氧化等因素的影响。此外，氟碳涂料具有良好的自洁性能，能够抵抗各种污渍和污染物的附着，使得铝板易于清洁和维护。


ADVANTAGE AND CHARACTERISTICS

The main advantages of fluorocarbon sprayed aluminum sheet are its excellent weather resistance, corrosion resistance and chemical resistance.
Learning character, and high decoration. It can keep the color and color in bad weather conditions.
Glossy, not affected by ultraviolet rays, oxidation and other factors. In addition, fluorocarbon coatings have good properties.
Good self-cleaning performance, can resist the adhesion of various stains and pollutants, making aluminum plate easy
For cleaning and maintenance.

仿木、石纹铝板

仿木纹/石纹铝单板是以铝合金为主要材料，通过特殊辊涂工艺形成木纹、石纹各色仿真效果。

Wood-grain/stone-grain aluminum veneer is made of aluminum alloy as the main material, and the simulation effect of wood grain and stone grain is formed by special roll coating process.





Imitation wood grain/stone grain aluminum veneer is a kind of high-grade metal decorative material, which is mainly made of high-grade
aluminum alloy, shaped by numerical control bending and other technologies according to the size, shape and structural form designed on
the engineering site, and coated with wood grain film on the surface of the veneer by vacuum pumping or thermal transfer printing.





优势特点

1、仿石纹铝单板重量轻、刚性好、强度高。
2、耐候性和耐腐蚀性好，能有效抵抗酸雨、空气污染和紫外线的侵蚀，不变色、不褪色、不剥落、不开裂、不粉化。
3、自洁性强。涂层中特殊的分子结构，表面的灰尘无法附着，所以不需要特别清洗，再加上采用离子与水接触的表面张力技术，所以具有良好的自洁性能。
4、色彩丰富，装饰效果好。
5、强度高，保证了幕墙的抗风、抗震、防漏雨、防空气渗透、防雷、抗冲击等性能。

ADVANTAGE AND CHARACTERISTICS

1. Stone-like aluminum veneer has light weight, good rigidity and high strength.
2, good weather resistance and corrosion resistance, can effectively resist acid rain, air pollution and ultraviolet erosion, no discoloration, no fading, no peeling, no cracking and no pulverization.
3. Strong self-cleaning. Because of the special molecular structure in the coating, the dust on the surface can't be attached, so it doesn't need special cleaning. In addition, the surface tension technology of ion contact with water is adopted, so it has good self-cleaning performance.
4. Rich colors and good decorative effect.
5. High strength ensures the wind resistance, earthquake resistance, rain leakage prevention and air infiltration prevention of the curtain wall.

双曲面铝单板

赋予铝单板更强的可塑性，使铝板任意角度扭转，可按照客户要求制定详细方案，定制任意尺寸双曲面、球形面等复杂造型，满足建筑丰富的外观表现效果。

Give the aluminum veneer stronger plasticity, make the aluminum sheet twist at any angle, make detailed plans according to customer's requirements, and customize complex shapes such as hyperboloids and spherical surfaces of any size to meet the requirements of buildings.
Rich appearance shows the effect.



Give aluminum veneer stronger plasticity, so that it can be twisted at any angle like coated paper. We can make detailed plans according to customer requirements and customize pairs of any size.
Curved surface and spherical surface create a unique and beautiful three-dimensional shape.

优势特点

·独特的造型和线条，可以制作成多种复杂的曲面形状，适应现代建筑对外观美学的高要求，赋予建筑独特的视觉冲击力与艺术气息；
·轻盈且具有良好的强度和刚性，确保建筑结构安全同时减轻整体建筑重量，有利于建筑结构的稳固与耐用；
·可塑性强，易于切割与成形，可以按照建筑设计的需求进行个性化定制，满足不同设计师的创意需求；
·良好的耐候性，能抵抗酸雨、紫外线等自然侵蚀，保持长期的色泽稳定和外观整洁，维护成本低。

ADVANTAGE AND CHARACTERISTICS

·Unique shapes and lines can be made into a variety of complex curved surfaces to meet the high requirements of modern architecture for appearance aesthetics, giving the building a unique visual impact and artistic atmosphere;
·Lightweight, with good strength and rigidity, ensures the safety of the building structure and reduces the overall building weight, which is beneficial to the stability and durability of the building structure;
·Strong plasticity, easy to cut and shape, and can be customized according to the needs of architectural design to meet the creative needs of different designers;
·Good weather resistance, resistance to acid rain, ultraviolet rays and other natural erosion, long-term color stability and neat appearance, and low maintenance cost.



蜂窝板


采用“蜂窝式夹层”结构，即以表面涂覆耐候性极佳的装饰涂层之高强度合金铝板作为面、底板与铝蜂窝芯经高温高压复合制造而成的复合板材。

The honeycomb sandwich structure is adopted, that is, the high-strength alloy aluminum plate coated with decorative coating with excellent weather resistance is used as the composite plate made by compounding the surface, bottom plate and aluminum honeycomb core at high temperature and high pressure.









检查项目 INSPECTION ITEM		标准要求 BASIC STANDARD	结果 RESULT
滚筒剥离强度	平均值	≥50N·mm/mm	≥82N·mm/mm
	最小值	≥40N·mm/mm	≥78N·mm/mm
平拉强度	平均值	≥0.8MPa	0.85MPa
	最小值	≥0.8MPa	0.79MPa
平压强度		≥0.8MPa	2.5MPa
平压弹性模量		≥30MPa	117MPa
平面剪切强度		≥0.5MPa	0.6MPa
平面剪切弹性模量		≥4.0MPa	7.4MPa
弯曲刚度		≥1.0×10^{8} N·mm^2	7.4MPa
剪切刚度		≥1.0×10^{4}	7.4MPa
耐撞击性能		无明显变形及破坏	无明显变形及破坏
耐热水性 耐温差性	外观	无异常	无异常
	附着力	不次于0级	0级
	滚筒剥离强度最小值	≥30N·mm/mm	40N·mm/mm

优势特点

· 重量较轻、刚度大：由于采用了优质高强度的铝质蜂窝芯和特殊处理的聚氨酯夹心层结构，使板材具有自重轻、强度高、耐腐蚀性强等优点；
· 防火性能好：采用高效阻燃材料及独特的结构设计工艺制作而成，燃烧性能达到A1级标准，遇火自熄，且不会产生任何有毒气体等有害物；
· 防潮防水性好：在潮湿环境下仍能保持良好的物理机械特性，不易变形、开裂、褪色或软化发霉等现象；
· 加工成型方便灵活、可塑性强：可根据不同使用要求进行锯切、钻孔、弯弧等各种异型的处理造型；
· 安装简便快捷：施工时对切割面不垂直度无严格的要求，只需用专用固定件即可轻松固定在墙体上，大大提高了安装的效率和质量；
· 隔音效果好：经国家权威机构检测吸音效果达29分贝，相当于实墙的隔声量。
· 绿色环保节能：产品不含甲醛、苯酚及其他有害物质，无毒无害；
· 使用寿命长：氟碳涂层能有效抵抗酸雨雾气中的侵蚀，不受空气的污染破坏，因此有极强的自我清洁能力，长久不变色。
· 维护费用低：因材质本身具有良好的密封功能，加上正确的保养方法，平常几乎无需维修，从而降低建筑物的综合造价成本。



浙江 · 杭州
星瓒颂锦府

开发商：
杭州伟星置业有限公司

项目地址：
拱墅区湖州街与和睦路交叉口

铝板类型：
铝单板

铝板面积130000㎡

浙江 · 杭州
咏滨名邸


开发商：
杭州伟星置业有限公司

项目地址：
滨江区新浦路

铝板类型：
铝单板

铝板面积60000㎡





浙江 · 宁波
玉堰珑印府

开发商：
浙江伟星房地产开发有限公司

项目地址：
鄞州区南部商务区

铝板类型：
铝单板
蜂窝铝板

铝板面积60000㎡
蜂窝铝板面积20000㎡

浙江 · 宁波
星润名著园

开发商：
浙江伟星房地产开发有限公司

项目地址：
鄞州区钟公庙街道

铝板类型：
铝单板

铝板面积30000㎡



浙江 · 台州
梧桐府

开发商：
浙江杨帆地产集团有限公司

项目地址：
椒江区洪家东环大道东侧、
海源路北侧

铝板类型：
铝单板

铝板面积65000㎡
蜂窝铝板面积30000㎡





浙江 · 台州
江山慈悦

开发商：
浙江杨帆地产集团有限公司

项目地址：
天台县太平洋滨溪南路

铝板类型：
铝单板

铝板面积40000㎡

浙江 · 台州
天润合府

开发商：
方远房地产集团有限公司

项目地址：
椒江区中心大道西侧

铝板类型：
铝单板

铝板面积65000㎡





浙江 · 台州
天筑誉府

开发商：
方远房地产集团有限公司

项目地址：
椒江区中心大道与洪兆路交叉口

铝板类型：
铝单板

铝板面积120000㎡



浙江 · 台州
天汇府

开发商：
方远房地产集团有限公司

项目地址：
椒江区台州体育场路以南，疏港大道以东

铝板类型：
铝单板

铝板面积60000㎡

浙江 · 台州
星悦城

开发商：
浙江伟星房地产开发有限公司

项目地址：
临海市大洋台州学院西洛河路与柏叶中路交叉口西

铝板类型：
铝单板

铝板面积30000㎡



浙江 · 台州
天恒水岸

开发商：
方远房地产集团有限公司

项目地址：
路桥区新横大道与镇西路交汇处

铝板类型：
铝单板

铝板面积50000㎡





浙江 · 台州
盛东府

开发商：
浙江伟星房地产开发有限公司

项目地址：
临海市大洋街道柏叶路与河阳路交汇处

铝板类型：
铝单板

铝板面积30000㎡



浙江 · 台州
铂珺府

开发商：
台州市中盛宏峰置业有限公司

项目地址：
温岭市锦江中心城西大道与曙光西路交叉口

铝板类型：
铝单板

铝板面积55000㎡

浙江 · 台州
椒江宝龙城

开发商：
台州璟懿实业有限公司

项目地址：
椒江区中心大道北延伸段

铝板类型：
铝单板

铝板面积20000㎡



浙江 · 台州
湖滨壹号

开发商：
浙江光大置业有限公司

项目地址：
临海市临邵路北侧

铝板类型：
铝单板

铝板面积130000㎡





浙江 · 温州
龙湾未来社区

开发商：
温州新城控股鸿悦房地产

项目地址：
龙湾区温州大道520号

铝板类型：
铝单板

铝板面积150000㎡

合作伙伴
COOPERATIVE PARTNER

迅镭激光

天和投资

国强建设集团
Guoqiang Construction Group

天颂建设
TIANSONGJIANSHE

五联建设
Wulian construction

远丰控股集团
YUANFENG HOLDING GROUP

TANGSONG GROUP
唐颂集团

公司整合国内外知名品牌等优势资源
让产品质量更可靠、价格更有竞争力、惠及更多客户

The company integrates well-known brands at home and abroad and other advantageous resources. Make product quality more reliable, price more competitive, and benefit more customers

（排名不分先后）

社会价值
SOCIAL VALUE

随着加强环境治理、节能减排工作逐步深入，大力发展绿色建材是实现碳达峰、碳中和目标的重要途径之一，也是支撑绿色建筑和新型城镇化建设的重要物质基础。

久胜成高起点高定位，倡导企业生态效益、社会效益与经济效益的和谐统一，积极履行企业社会责任，并结合公司实际，实现企业与社会、人与自然的和谐发展，同时将全面贯彻国家统一的绿色产品认证制度，立志成为符合新时代高质量发展的标杆企业。

With the strengthening of environmental governance, energy conservation and emission reduction work gradually deepened.
Entering and vigorously developing green building materials is to realize peak carbon dioxide emissions and carbon neutrality.
One of the important ways to achieve the goal is to support green buildings and new ones.
The important material basis of urbanization construction.

Long win into a high starting point and high positioning, advocating enterprise ecological benefits,Harmonious unity of social benefits and economic benefits, and actively implement enterprises.industry social responsibility, and combined with the company's reality, realize the enterprise and society.Harmonious development of society, man and nature, and comprehensive implementation of the country at the same time. Home unified green product certification system, determined to become in line with the new A benchmark enterprise for high-quality development in the times.







JSC 久胜成 铝板
JSC ALUMINIUM PLATE

www.jiushengcheng.com