Recombinant SARS-Cov-2 Spike RBD Protein (Detection)

Catalog# BRP1132

Lot # Check on the product label

Size 1 mg

Description
Recombinant Severe Acute Respiratory Syndrome-Corona Virus-2 Spike Protein, SARS-CoV-2 S-RBD protein with mFc tag.

Synonyms Coronavirus spike, NCOV RBD, novel coronavirus RBD, novel coronavirus S1, RBD, Spike RBD

Source HEK293

Purity >95% by SDS-PAGE

Formulation Liquid

Application
ELISA
Capture: BRP1138
Detection: BRP1132
BRP1132 need to be conjugated to HRP or Biotin for ELISA assay.
Lateral flow (rapid test)
Other applications have not been tested.
The optimal dilutions should be determined by end user.

Storage buffer
Each vial contains 0.01 M PBS (pH7.4).

Storage & Expiration
Ship at 4℃. Upon receipt, aliquot and store at -20℃ for long term.
Avoid repeated freeze and thaw cycles.

Background
The 2019 novel coronavirus, abbreviated as 2019-ncov, is a new strain of coronavirus discovered in the human body in 2019. The symptoms of the virus are fever, fatigue, dry cough, and progressive dyspnea. In severe cases, the symptoms are acute respiratory distress syndrome, septic shock, metabolic acidosis and coagulation dysfunction that can't be corrected. The virus has been confirmed to exist the phenomenon of human-to-human transmission, the shortest incubation period of the virus is only 1 day, and the longest incubation period is 14 days. The spike (S) glycoprotein of coronaviruses contains protrusions that will only bind to certain receptors on the host cell. Known receptors bind S1 are ACE2, angiotensin-converting enzyme 2; DPP4, dipeptidyl peptidase-4; APN, aminopeptidase N; CEACAM, carcinoembryonic antigen-related cell adhesion molecule. The spike protein is a large type I transmembrane protein containing two subunits, S1 and S2. S1 mainly contains a receptor binding domain (RBD), which is responsible for recognizing the cell surface receptor. S2 contains basic elements needed for the membrane fusion.

Reference
1. World Health Organization: Clinical management of severe acute respiratory infection when Novel coronavirus (nCoV) infection is suspected: Interim Guidance.
2. "Pneumonia diagnosis and treatment program for novel coronavirus infection" of the National Health Commission of People's Republic of China (Trial Version 3).
3. World Health Organization: Clinical management of severe acute respiratory infection when Novel coronavirus (nCoV) infection is suspected: Interim Guidance.

FOR RESEARCH USE ONLY, NOT FOR DIAGNOSTIC AND CLINICAL USE.